

Risk Assessment – Inflatable Eliminator Run

Hazard Area	Risk	Existing Controls	Likelihood 1 - 5	Severity 1 - 5	Risk Score L x S	Further Action to take
Eliminator Run	Over enthusiastic participants	Responsible person supervising at all times.	2	1	1	In the event of large numbers of participants trained operators should be supplied with the inflatable to aid with large numbers.
Eliminator Run	Jumping over unit	Responsible person supervising at all times.	1	1	1	In the event of large numbers of participants trained operators should be supplied with the inflatable to aid with large numbers.
Eliminator Run	Danger of unnecessary injury.	Ensure that no one with a history of back or neck problems or who suffers from a heart complaint uses the Inflatable or anyone who is feeling unwell or suffering the effects of alcohol or drugs & Pregnant women may NOT use any equipment at anytime.	1	5	5	None
Eliminator Run	Overloading or Tipping over.	No user weighing over 90kg or 14 stone is permitted to use the equipment at any time.	1	5	5	None
Eliminator Run	Tripping over bungee cords & twanging effects	Responsible person supervising at all times. Do not allow participants to be stretched along the bungee by 3 rd parties.	1	1	1	Participants put in to groups of similar size.
Eliminator Run	Adverse weather conditions.	The item will be switched off in heavy rain and is not permitted to run in strong winds over 24mph as both these conditions can be deemed a health and safety risk. This risk must be used in conjunction with our weather-safety-advice document.	Dependant on weather	Dependant on weather	Dependant on weather	Use a wind speed meter at all times and close the equipment when predicted speeds are over 24mph including gusts. Use the met office for data; https://www.metoffice.gov.uk/public/weather/forecast
Eliminator Run	Tripping over anchorage points, spare equipment, electrical cables	Anchor points used as per manufacturers instructions and spare equipment erected safely or stowed away. Where possible electrical cable does not cross any public pathway.	1	1	1	In the event of large numbers of participants attending or large events, additional safety fencing is erected, electrical cables will be erected overhead or covered and suitably marked
Eliminator Run	Injury through lack of supervision.	At least 2 fully trained operators must be present with the equipment at all times, 2 per entrance and exit is advised.	1	5	5	In the event that the supervisors must leave there post, Equipment must be switched off and not used.
Eliminator Run	Tripping over anchorage points, spare equipment, electrical cables	Anchor points used as per manufacturers instructions and spare equipment erected safely or stowed away. Where possible electrical cable does not cross any public pathway.	1	1	1	In the event of large numbers of participants attending or large events, additional safety fencing is erected, electrical cables will be erected overhead or covered and
Eliminator Run	Tripping on bungee cords.	Participants are made aware of the cords. Cords are at waist height & fastened on at the back to avoid tripping where necessary.	2	2	1	In the event of large numbers of participants trained operators should be supplied with the inflatable to aid with large numbers and assist with attaching people to the cords.
Eliminator Run	Petrol Blower, Generator Risk of fire	Blowers/generators filled with fuel before delivery, units are fire retardant.	3	1	1	All spare fuel is stored in suitable marked container, and in a safe location, units switched off during re fuelling,
Eliminator Run	Choking	No food drinks or chewing gum to be allowed on or near the Inflatable.	1	4	4	None
Eliminator Run	Bungee cords breaking or coming unattached from anchor points or belts.	Responsible person supervising at all times. All anchor points a checked at regular intervals and are safety tested every 12 months. Cords are whipped at each end where attached to the inflatable.	2	1	1	Spares are kept near by should a piece of equipment fail.
Eliminator Run	Emergency	In the event that someone is seriously injured, DO NOT move the individual, leave the inflatable switched on and dial 999 immediately.	N/a	N/a	N/a	N/a
Eliminator Run	Injury through insecure anchorage.	Never use this unit without proper anchorage in place, It may be blown over in certain wind conditions, If the inflatable unit is not anchored correctly please ensure you tell the erection team before they leave as we keep a tight schedule and may not be able to return immediately.	1	5	5	None
Eliminator Run	Injury through drugs & alcohol	Licensed premises must provide appropriate Security Industry Authority (SIA) attendant to manage the users of our equipment. Our staff are in place to ensure the safe operation and maintenance of the equipment only and not to supervise users. Anyone found to be under the influence of drugs or alcohol will not be permitted to use the equipment under any circumstances. We reserve the right to refuse operation should no approved SIA staff be on site, which includes set up and pack up times.. A list of which can be found on the SIA website as follows: Click here to visit site.	1	5	5	None

L=Likelihood S=Severity L*S= Risk 1=Low 5=High

Risk is worked out using numbers 1 - 5. The likelihood is given a number and this is multiplied by the number given to the severity of the risk.

The result = the risk factor. This generic risk assessment is brief and we have our own individual assessments for each individual risk, 25 being the worst possible outcome, any item reaching 25 would give serious cause for concern & we would not be able to erect the unit. It is recommended that clients undertake their own risk assessment to suit their requirements.